WHAT IS CLAIMED IS:

- 1 1. A client-side method, comprising:
- obtaining a user-selected web portion from a web page;
- displaying the user-selected web portion;
- 4 initiating acquisition of an advertisement; and
- displaying the advertisement with the user-selected web portion.
- 1 2. The method of claim 1, wherein the advertisement includes a
- 2 banner advertisement.
- 1 3. The method of claim 1, wherein the advertisement includes a
- 2 directory-type advertisement.
- 1 4. The method of claim 1, wherein the initiating acquires an
- 2 advertisement based on demographic data of the user.
- 1 5. The method of claim 1, wherein the initiating acquires an
- 2 advertisement based on the at least one user-selected portion.
- 1 6. The method of claim 1, wherein the initiating acquires an
- 2 advertisement from an advertisement server.
- 7. The method of claim 1, wherein the initiating acquires an
- 2 advertisement from a locally stored library of advertisements.
- 8. A machine-readable medium having stored thereon instructions to:

- obtain a user-selected web portion from a web page;
- display the user-selected web portion;
- 4 initiate acquisition of an advertisement; and
- display the advertisement with the user-selected web portion.
- 1 9. The machine-readable medium of claim 8, wherein the
- 2 advertisement includes a banner advertisement.
- 1 10. The machine-readable medium of claim 8, wherein the
- 2 advertisement includes a directory-type advertisement.
- 1 11. The machine-readable medium of claim 8, wherein the instruction
- 2 to initiate acquires an advertisement based on demographic data of the
- 3 user.
- 1 12. The machine-readable medium of claim 8, wherein the instruction
- to initiate acquires an advertisement based on the at least one user-
- 3 selected portion.
- 1 13. The machine-readable medium of claim 8, wherein the instruction
- 2 to initiate acquires an advertisement from an advertisement server.
- 1 14. The machine-readable medium of claim 8, wherein the instruction
- 2 to initiate acquires an advertisement from a locally stored library of
- 3 advertisements.
- 1 15. A system, comprising:

7

- means for obtaining a user-selected web portion from a web page;
- means for displaying the user-selected web portion;
- 4 means for initiating acquisition of an advertisement; and
- 5 means for displaying the advertisement with the user-selected web
- 6 portion.
- 1 16. An apparatus, comprising:
- 2 a memory device;
- a client engine, communicatively coupled to a network and to the
- 4 memory device, capable to obtain a user-selected web portion from a web
- 5 page; display the user-selected web portion; and
- an advertising engine, communicatively coupled to the client
 - engine and the network, capable to initiate acquisition of an
- 8 advertisement and display the advertisement with the user-selected web
- 9 portion.
- 1 17. The apparatus of claim 16, wherein the advertisement includes a
- 2 banner advertisement.
- 1 18. The apparatus of claim 16, wherein the advertisement includes a
- 2 directory-type advertisement.
- 1 19. The apparatus of claim 16, wherein the advertising engine is
- 2 capable to initiate acquisition of the advertisement based on
- 3 demographic data of the user.

- 1 20. The apparatus of claim 16, wherein the advertising engine is
- 2 capable to initiate acquisition of the advertisement based on the user-
- 3 selected portion.
- 1 21. The apparatus of claim 16, wherein the advertising engine is
- 2 capable to initiate acquisition of the advertisement from an
- 3 advertisement server communicatively coupled to the network.
- 1 22. The apparatus of claim 16, wherein the memory further comprises
- 2 a library of advertisements.
- 1 23. The apparatus of claim 22, wherein the advertising engine is
- 2 capable to initiate acquisition of the advertisement from the library.